

A & K Pharmaceuticals is one of the leading and most inveterate health care company committed to manufacturing and marketing innovative medicines, to prevent and cure diseases and to augment the quality of life.



Livestock Division



www.aandkpharma.com



A & K Pharmaceuticals is one of the leading and most inveterate health care company committed to manufacture innovative poultry and veterinary medicines, to prevent and cure diseases and to augment the quality of life. **A & K Pharmaceuticals** came into being in 2004 as a manufacturing as well as marketing company and extended its pedigree to every suburb of Pakistan.

Pursuant to its corporate philosophy of striving for continuous improvement, betterment & higher standards, **A & K Pharmaceuticals** has established state-of-the-art purpose built manufacturing facility located at Sargodha road in Faisalabad that strictly adhered to the cGMP norms set by WHO and Ministry of Health (MOH) of Pakistan. **A & K Pharmaceuticals** extended their manufacturing operations in its own plant as manufacturers of veterinary injections in 2013 to employ novel technology to produce top quality pharmaceutical products.



ROFOX-10

Composition:

Each ml contains:

Enrofloxacin.....100 mg

Injection

Indications:

It is indicated in Sepsis, Bacteremia, Deep Pyodermas, Abscesses, Complicated urinary tract infections, Lower respiratory tract infections, BRD, GI infections and Systemic orthopedic infections.

Packing: 10 ml, 20 ml, 50 ml & 100 ml



TINE-20

Composition:

Each ml contains:

Tylosin Tartrate.....200 mg

Injection

Indications:

It is indicated in CRD, Pneumonia, Bronchitis, Pleuritis, Pasteurellosis, Bronchopneumonia, BRD, Shipping fever, Gastroenteritis, Foot rot, Calf diphtheria and Early Mycoplasma Arthritis.

Packing: 10 ml, 20 ml, 50 ml & 100 ml



GENIN

Composition:

Each ml contains:

Tylosin Tartrate.....100 mg

Gentamicin.....50 mg

Injection

Indications:

It is indicated in Respiratory tract infections, GIT infections, Urogenital tract infections, Bacteremia/Septicemia, Bone, Skin & Soft tissue infections and Intra-abdominal infections.

Packing: 10 ml, 20 ml, 50 ml & 100 ml



ECTIN

Composition:

Each ml contains:

Ivermectin.....10 mg

Injection

Indications:

It can be used against all external worms and some internal worms. It is indicated in Cattle, Sheep, Goat, Horses, Cats and Dogs in cases of Ticks, Mites, Fleas, Lice, Fly larvae and all kinds of Round worms.

Packing: 10 ml, 20 ml, 50 ml & 100 ml



FOLAK

Composition:

Each ml contains:

Florfenicol.....300 mg

Injection

Indications:

It is indicated for the treatment of BRD, Foot Rot, Bovine Shipping Fever, Keratoconjunctivitis, Bacterial Pneumonia, Undifferentiated fever, Bacterial Meningitis in calves, Mastitis, Urinary and Genital tract infections.

Packing: 10 ml, 20 ml, 50 ml & 100 ml



SINCO

Composition:

Each ml contains:

Lincomycin HCl125 mg

Spiramycin Adipate75 mg

Injection

Indications:

It is indicated in cases of Mastitis, Pneumonia, Metritis, Endometritis, Pyelonephritis, Cystitis, Enteritis, Foot rot, Arthritis and Toxoplasmosis.

Packing: 100 ml





GTS

Composition:

Each ml contains:

Gentamicin Sulphate30 mg
Trimethoprim40 mg
Sulfadimethoxine200 mg

Injection

Indications:

It is used effectively in Pasteurellosis, Metritis, Endometritis, Pyometra, Pyelonephritis, Ureteritis, Cystitis, Calf Scours and Mastitis.

Packing: 50 ml



BITAMIN

Composition:

Each ml contains:

Cyanocobalamin.....250 mcg

Injection

Indications:

It is used to prevent and treat low blood levels of Vitamin B₁₂. It is important to maintain the metabolism and health of blood cells & nerves.

Packing: 50 ml



NIXIN

Composition:

Each ml contains:

Flunixin Meglumine.....50 mg

Injection

Indications:

It is recommended for the alleviation of Inflammation, Pain and Pyrexia associated with musculoskeletal disorders, Colic, BRD, Endotoxemia and acute Mastitis.

Packing: 50 ml



HEPACID

Composition:

Each ml contains:

Phenoxy-2-Methyl-2
Propionic acid.....100 mg

Injection

Indications:

It is recommended for Hepatic Insufficiency, Indigestion, Inappetance, Alimentary Intoxication, Ketosis, Fatty Liver, Piroplasmosis and Leptospirosis.

Packing: 50 ml



ADEKA

Composition:

Each ml contains:

Vitamin A.....100000 I.U
Vitamin D₃.....40000 I.U
Vitamin E.....40 mg

Injection

Indications:

It can be used as a supportive therapy in animals of all ages in cases of Early lactation clinical mastitis, Colostrum deprived calves, Reduced fertility, Low conception rate, RFM, Weaker immunity, Pregnant animals, Increased services per conception and Irregular heat cycle.

Packing: 10 ml, 20 ml, 50 ml & 100 ml



FENAK

Composition:

Each ml contains:

Ketoprofen.....100 mg

Injection

Indications:

It can be used as an adjunctive therapy to alleviate pain, fever and inflammation associated with microbial infections and musculoskeletal disorders.

Packing: 10 ml, 20 ml, 50 ml & 100 ml





AKACIN

Composition:

Each ml contains:

Oxytetracycline HCl100 mg

Injection

Indications:

It is indicated for the treatment of Pneumonia, Shipping Fever, BRD, Mycoplasmosis, Calf Diphtheria, Pink Eye, Foot Rot, Actinobacillosis, Endometritis, Udder Infections, Acute Anaplasmosis, Babesiosis, Theileriosis and Enzootic Abortion.

Packing: 100 ml



AKACIN 50

Composition:

Each ml contains:

Oxytetracycline HCl50 mg

Injection

Indications:

It is indicated for the treatment of Pneumonia, Shipping Fever, BRD, Mycoplasmosis, Calf Diphtheria, Pink Eye, Foot Rot, Actinobacillosis, Endometritis, Udder Infections, Acute Anaplasmosis, Babesiosis, Theileriosis and Enzootic Abortion.

Packing: 100 ml



GENAK-10

Composition:

Each ml contains:

Gentamicin Sulphate.....100 mg

Injection

Indications:

It is indicated in cases of Pyelonephritis, Cystitis, Ureteritis, Metritis, Postpartum Endometritis, Pyometra, Respiratory tract infections, Bacteremia/Septicemia, Osteomyelitis, Burns and Intra-abdominal infections.

Packing: 10 ml, 20 ml, 50 ml & 100 ml



FMO

Composition:

Each ml contains:

Oxytetracycline300 mg

Flunixin Meglumine20 mg

Injection

Indications:

It is indicated in cases of Bacterial Arthritis, Enteritis, Diphtheria, Mastitis, Pneumonia, Bronchitis, Sinusitis, BRD, Skin & Soft tissue infections, Uterine infections, Anaplasmosis, Babesiosis, Theileriosis, Ehrlichiosis, Shipping Fever, Pink Eye and Foot Rot.

Packing: 10 ml, 20 ml, 50 ml & 100 ml



BUPAK

Composition:

Each ml contains:

Buparvaquone50 mg

Injection

Indications:

It is active against intracellular protozoa *Theileria annulata*, *T. Parva*, *T. mutans* and *T. Orientalis*. It is indicated for prophylaxis and treatment of tick-borne bovine theileriosis.

Packing: 50 ml



T-SUL 24%

Composition:

Each ml contains:

Trimethoprim40 mg

Sulphadoxine200 mg

Injection

Indications:

It is used for the infections of the respiratory tract, GIT, urogenital system, skin, joints and soft tissues such as Pneumonia, Coccidiosis, Enteritis, Metritis, Pyelonephritis, Mastitis, Septicemia, Abscess, Arthritis and Hoof infections.

Packing: 100 ml





KETOCIN

Composition:

Each 100 ml contains:

Oxytetracycline Hydrochloride...20 gm

Ketoprofen 3 gm

Injection

Indications:

It is indicated in Mycoplasmosis, Pneumonia, Shipping Fever, BRD, Calf Diphtheria, Pink Eye, Foot Rot, Endometritis, Enteritis, Skin Infections, Mastitis and tick borne protozoal infections.

Packing: 100 ml



INFICAM

Composition:

Each ml contains:

Meloxicam.....20 mg

Injection

Indications:

It is indicated for the control of pain and inflammation associated with acute and chronic musculoskeletal disorders, respiratory infections and mastitis. It can also be used in equine colic and post-operative pain.

Packing: 100 ml



INFICAM 10

Composition:

Each ml contains:

Meloxicam.....10 mg

Injection

Indications:

It is indicated for the control of pain and inflammation associated with acute and chronic musculoskeletal disorders, respiratory infections and mastitis. It can also be used in equine colic and post-operative pain.

Packing: 100 ml



CYNOTOL

Composition:

Each ml contains:

Toldimphos sodium.....200 mg

Vitamin B₁₂.....0.05 mg

Injection

Indications:

It is used for prevention and treatment of metabolic disorders including weakness, fatigue, lactation tetany, post parturient paresis, red water, pica and infertility. It is also helpful in neonatal debility, retarded growth, rickets and osteomalacia.

Packing: 100 ml



DICARB

Composition:

Each ml contains:

Imidocarb dipropionate ...120 mg

Injection

Indications:

It is highly active against Babesiosis, Anaplasmosis and Ehrlichiosis in cattle, sheep, goat, horses and dogs.

Packing: 100 ml



WINPHOS

Composition:

Each ml contains:

Sodium acid phosphate ...400 mg

Injection

Indications:

It is indicated for infertility, metabolic disorders and general debility conditions such as PPH, phosphorus deficiency, indigestion, ketosis, milk fever, bloat, tetany, pica, rickets and osteomalacia.

Packing: 100 ml





M-BAC

Composition:

Each ml contains:

Abamectin10 mg

Injection

Indications:

It is a broad spectrum endectocide that covers mature and immature stages of worms including gastro-intestinal round worms, lung worm, eye worm, sucking lice, mange mites, ticks, cattle grubs and larvae of flies.

Packing: 100 ml



ATROFIN

Composition:

Each ml contains:

Atropine Sulphate.....1 mg

Injection

Indications:

It is indicated in symptomatic bradycardia, organophosphate toxicity, mushroom poisoning and peristalsis associated with diarrhea. It is used before surgery and as an antidote for life threatening muscarinic effects.

Packing: 100 ml



ACEVIT-C

Composition:

Each 100 gm contains:

Acetylsalicylic Acid.....6.7 gm

Vitamin C (Ascorbic Acid)..20 gm

Plus Flavour

Powder

Indications:

It is used in cases of stress due to transportation, feed changing, exposure to hot or cold temperatures, starvation, vaccination, debeaking, dehorning and infectious diseases.

Packing: 100 gm



NEGASAN

Composition:

Each gram contains:

Trichlorfon.....980 mg

Powder

Indications:

It is indicated in Cattle, Sheep & Goat in cases of all external worms (Lice, Fleas, Mites, Ticks, Mosquitoes, Fly larvae) and some internal worms (Stomach worms, Intestinal worms).

Packing: 10 gm, 100 gm, 1 Kg & 5 Kg





LEVANEW

Composition:

Each ml contains:

Levamisole HCl.....1.5% W/V

Drench

Indications:

Levanew's spectrum of activity includes all Nematodes. It is indicated in Cattle, Sheep & Goat in cases of Stomach worms, Intestinal worms, Lung worms and Eye worms.

Packing: 100 ml, 200 ml, 500 ml & 1 liter



CLOZANEW PLUS

Composition:

Each ml contains:

Oxyclozanide.....62.50 mg

Oxfendazole.....22.65 mg

Cobalt (Cobalt Sulphate).....1.67 mg

Selenium (Sodium Selenite)..0.50 mg

Drench

Indications:

It is indicated in Cattle, Sheep & Goat in cases of Liver and Rumen flukes, Tape worms, Stomach worms, Intestinal worms, Bankrupt worm, Nodular worm and Lung worms.

Packing: 100 ml, 200 ml, 500 ml & 1 liter



ALBECTIN

Composition:

Each 100 ml contains:

Triclabendazole.....12 gm

Ivermectin.....0.2 gm

Albendazole.....10 gm

Drench

Indications:

It is indicated in cases of Liver flukes, Round worms, Tape worms, Gastro-intestinal worms and Lung worms. It also effectively covers Ticks, Mites, Fleas, Lice and larvae of Flies including cattle grubs & sheep nasal bots.

Packing: 100 ml, 500 ml & 1000 ml



LEVANITE

Composition:

Each 100 ml contains:

Triclabendazole.....5 gm

Levamisole HCl.....3.75 gm

Drench

Indications:

It efficiently controls all stages of Round worms and Flukes including gastrointestinal worms, lung worms and liver flukes in Cattle, Sheep, Goat and Camel.

Packing: 100 ml, 500 ml & 1000 ml



LEVATRISOL

Composition:

Each ml contains:

Triclabendazole.....120 mg

Levamisole HCl.....75 mg

Drench

Indications:

It efficiently controls Round worms and Flukes (early immature, late immature & mature worms) including gastrointestinal worms, lung worms and liver flukes in Cattle, Sheep, Goat and Camel.

Packing: 100 ml, 500 ml & 1000 ml





SULPHACARE

Composition:

Each ml contains:

Sulphadiazine.....	35.500 mg
Sulphadimidine.....	28.400 mg
Neomycin Sulphate.....	1.800 mg
Hyoscine Methylbromide.....	0.040 mg
Pectin.....	7.100 mg
Kaolin.....	103.300 mg
Vitamin B ₁	0.150 mg
Vitamin B ₂	0.220 mg

Oral Suspension

Indications:

It is recommended for the treatment of Scours in all animals including Cattle, Horses, Sheep, Goat and Poultry. It effectively controls the Enteritis of bacterial origin.

Packing: 100 ml, 250 ml, 450 ml & 1 liter



NEMATO FLEE

Composition:

Each 100 ml contains:

Levamisole HCl	1.50 gm
Cobalt sulphate	0.382 gm
Sodium selenite	0.035 gm

Drench

Indications:

It shows activity against all Nematodes (round worms). It is indicated in cases of Stomach worms, Intestinal worms, Lung worms and Eye worm.

Packing: 100 ml, 500 ml & 1000 ml



XEROWORM

Composition:

Each ml contains:

Levamisole HCl.....	15 mg
Oxyclozanide.....	30 mg
Cobalt Sulphate.....	1.67 mg
Sodium Selenite.....	0.50 mg

Oral Suspension

Indications:

It is indicated in Cattle, Sheep & Goat in cases of Liver and Rumen flukes, Stomach worms, Intestinal worms, Lung worms, Eye worms, Sheep nasal bot flies and Cattle grubs.

Packing: 100 ml, 150 ml, 300 ml, 500 ml & 1 liter



WORMICARE

Composition:

Each ml contains:

Levamisole HCl.....	1.5% w/v
Oxyclozanide.....	3.0% w/v
Cobalt Sulphate.....	0.382% w/v

Oral Suspension

Indications:

It is indicated in Cattle, Sheep & Goat in cases of Liver and Rumen flukes, Stomach worms, Intestinal worms, Lung worms, Eye worms, Sheep nasal bot flies and Cattle grubs.

Packing: 100 ml, 150 ml, 300 ml, 450 ml & 1 liter



LEVOXAZOLE

Composition:

Each ml contains:

Levamisole HCl.....	15 mg
Oxyclozanide.....	30 mg

Oral Suspension

Indications:

It is indicated in Cattle, Sheep & Goat in cases of Liver flukes, Stomach worms, Intestinal worms, Bankrupt worm, Nodular worm, Lung worms, Cattle grubs and Sheep nasal bot flies.

Packing: 100 ml, 200 ml, 500 ml & 1 liter





TIMECTIN

Composition:

Each ml contains:

Triclabendazole120 mg

Ivermectin2 mg

Drench

Indications:

It has efficacy against early immature, immature and mature stages of susceptible parasites. It shows enhanced activity against liver flukes, round worms, ticks, mites, fleas, sucking lice, cattle grubs and sheep nasal bot flies.

Packing: 100 ml, 500 ml & 1000 ml



PARAZOLE

Composition:

Each 100 ml contains:

Albendazole2.5 gm

Drench

Indications:

It is a broad spectrum anthelmintic effective against both immature and mature stages of worms. It is indicated for control of egg, larvae and adult forms of tape worms, round worms, stomach worms, intestinal worms, lung worms and adult liver flukes.

Packing: 100 ml, 500 ml & 1000 ml



PARAZOLE

Composition:

Each ml contains:

Albendazole.....100 mg

Oral Suspension

Indications:

It is indicated in cases of Liver flukes, Tape worms, Stomach worms, Intestinal worms, Bankrupt worm, Nodular worm, Lung worms, Hairworms, Gizzard worms and Cecal worms.

Packing: 30 ml, 50 ml, 100 ml, 450 ml & 1 liter



RAMCID-C

Composition:

Each 5 ml contains:

Piperazine citrate2.550 gm

Drench

Indications:

It is an efficient anthelmintic with greater activity against nematodes. It is indicated against species of Ascaridia, Nematodirus, Ostertagia, Cooperia, Oesphagostomum, Strongylus, Oxyuris, Trichonema, Capillaria, Thread worms and Hook worms in cattle, sheep, goat, horse, camel, dog, cat and poultry.

Packing: 100 ml, 500 ml & 1000 ml



CLOSAFIN

Composition:

Each 100 ml contains:

Closantel11.0 gm

Drench

Indications:

It is an effective anthelmintic that is highly efficacious against liver flukes (*F. hepatica*, *F. gigantica*), blood-sucking nematodes (*Haemonchus contortus*), gastro-intestinal round worms, larval stages of warble fly (*Hypoderma bovis*) and nasal bots (*Oestrus ovis*).

Packing: 100 ml, 500 ml & 1000 ml





OZO PLUS

Composition:

Each ml contains:

Oxfendazole.....	22.65 mg
Selenium.....	0.5 mg
Cobalt.....	1.67 mg

Oral Suspension

Indications:

It can be used effectively against Nematodes, some Trematodes, Cestodes and some Protozoa in Cattle, Sheep, Goat and Horses.

Packing: 100 ml, 200 ml, 450 ml, 500 ml & 1000 ml



OXACARE

Composition:

Each ml contains:

Oxfendazole.....	22.65 mg
------------------	----------

Oral Suspension

Indications

It can be used against Nematodes, some Trematodes, Cestodes and some Protozoa in Cattle, Sheep and Goats. It can also be used in Poultry and Equines in cases of Hairworms, Gizzard worms, Cecal worms, large and small Strongyles, Thread worms and Pin worms.

Packing: 100 ml, 150 ml, 450 ml & 1 liter



TYMPANNEW

Composition:

Each ml contains:

Polyoxyethylene Oleic Acid	
Triglyceride.....	100%

Liquid

Indications:

It is recommended to cure the Acute Tympany, Bloat and Frothy indigestion in Cattle, Sheep and Goats.

Packing: 10 ml & 20 ml



TONGEST

Powder

Composition:

Each Kg contains:

Propionic Acid Na	400 gm	Cobalt Sulphate	400 mg
Propionic Acid Ca	250 gm	Sodium Molybdate	100 mg
Acetanilide	150 gm	Sodium Chloride	20 gm
Magnesium Oxide	125 gm	Zinc Sulphate	100 mg
Iron Sulphate	400 mg	Magnesium Sulphate	200 mg
Copper Sulphate	450 mg		

Indications:

It is used to overcome digestive disturbances such as impaction, indigestion and compromised rumen fermentation. It is indicated for alimentary disorders associated with fever, feed intoxication, diarrhea and ketosis.

Packing: 100 gm, 500 gm, 1 Kg & 5 Kg





LEVAK-300 Bolus

Composition:

Each bolus contains:

Levamisole hydrochloride...300 mg

Indications:

It is indicated in Cattle, Sheep, Goat & Camel against Stomach worms, Intestinal worms, Lung worms and Eye worms.

Packing: 10's, 20's, 50's & 100's



LEVAK-400 Bolus

Composition:

Each bolus contains:

Levamisole hydrochloride.....0.4 g

Indications:

It is indicated in Cattle, Sheep, Goat & Camel against Stomach worms, Intestinal worms, Lung worms and Eye worms.

Packing: 10's, 20's, 50's & 100's



LEVAK-600 Bolus

Composition:

Each bolus contains:

Levamisole hydrochloride.....0.6 g

Indications:

It is indicated in Cattle, Sheep, Goat & Camel against Stomach worms, Intestinal worms, Lung worms and Eye worms.

Packing: 10's, 20's, 50's & 100's



LEVAK-1125 Bolus

Composition:

Each bolus contains:

Levamisole hydrochloride...1.125 g

Indications:

It is indicated in Cattle, Sheep, Goat & Camel against Stomach worms, Intestinal worms, Lung worms and Eye worms.

Packing: 10's, 20's, 50's & 100's





CLOPINOL-500 Bolus

Composition:

Each bolus contains:

Closantel.....0.5 grams

Indications:

It is highly efficacious against liver flukes, blood-sucking nematodes, gastro-intestinal round worms, nasal bots and larval stages of warble fly.

Packing: 10's, 20's, 50's & 100's



LEVOXAZOLE Bolus

Composition:

Each bolus contains:


Oxyclozanide2.25 grams

Levamisole hydrochloride...1.125 grams

Indications:

It is indicated in cases of liver flukes, gastro-intestinal worms, bankrupt worm, nodular worm, lung worms, cattle grubs and sheep nasal bot flies.

Packing: 10's, 20's, 50's & 100's



QUINAK Bolus

Composition:


Each bolus contains:

Flumequine350 mg

Indications:

It is used against enteric infections, respiratory infections and urinary infections including Scours, Gastroenteritis, BRD, Shipping fever, Colibacillosis and Salmonellosis.

Packing: 10's, 20's, 50's & 100's





MALCO MINERALS

Composition:

Each Kg contains:

Calcium.....	155 gm	Cobalt.....	0.01 gm
Phosphorus.....	135 gm	Iodine.....	0.04 gm
Magnesium.....	55 gm	Selenium.....	0.003 gm
Sodium.....	45 gm		
Iron.....	1 gm		
Zinc.....	3 gm		
Manganese.....	2 gm		
Copper.....	0.6 gm		

Indications:

It provides supportive therapy to animals of all ages. It can be used to improve growth and production by optimizing the functions of digestive and reproductive system of animals. It is indicated to increase milk, meat and wool production.

Packing: 1 Kg, 5 Kg & 25 Kg



MILKO GOLD

Composition:

Each Kg contains:

Vitamin A	0.8 gm	Magnesium Sulphate.....	25 gm
Vitamin D ₃	0.16 gm	Calcium Chloride.....	0.023 gm
Vitamin E	0.38 gm	Zinc Sulphate.....	2.17 gm
Vitamin B ₁	1.0 gm	Manganese Sulphate.....	10 gm
Vitamin B ₂	1.25 gm	Potassium Iodide.....	0.5 gm
Vitamin B ₃	6.25 gm	Sodium Selenite.....	0.01 gm
Vitamin B ₆	4 gm	Dicalcium Phosphate (P)....	150 gm
Vitamin B ₁₂	0.001 gm	Sodium Chloride.....	120 gm
Copper Sulphate.....	0.25 gm	(A&K Specification)	

Indications:

It is used to prevent Reduced fertility, Low conception rate, Retained fetal membranes, Weak & Lean animals, Irregular heat cycle, Milk fever, Red water and Osteomalacia.

Packing: 1 Kg, 5 Kg & 25 Kg





VITAMIN-C

Composition:

Each liter contains:

Vitamin C (Ascorbic acid)	200 gm
Glucose	250 gm
Sorbitol	100 gm
Silymarin	20 gm
Biotin	20 gm
Choline Chloride	20 gm
KCl	200 gm
CaCl	80 gm
Plus flavor	10 gm
Salicylic acid	5 gm
Excipients	Q.S.

Liquid

Indications:

It can be used in cases of growth depression, delayed wound healing, chronic liver diseases, heat stress, diarrhea, bone & shell deformities, vaccination stress and infectious diseases.

Packing: 500 ml & 1000 ml



VITAMIN-C

Composition:

Each liter contains:

Vitamin C (Ascorbic acid)	100 gm
Glucose	200 gm
Sorbitol	50 gm
Silymarin	5 gm
Biotin	10 gm
Choline Chloride	10 gm
KCl	130 gm
CaCl	70 gm
Plus flavor	10 gm
Salicylic acid	3 gm
Excipients	Q.S.

Liquid

Indications:

It can be used in cases of growth depression, delayed wound healing, chronic liver diseases, heat stress, diarrhea, bone & shell deformities, vaccination stress and infectious diseases.

Packing: 500 ml & 1000 ml



NOVA LIFE FORTE

Composition:

Each ml contains:

Caffeine	25 mg
Sodium Salicylate	18 mg
Nicotinamide	15 mg
Calcium Gluconate	300 mg
Magnesium Gluconate	15 mg
Boric Acid	25 mg
Sorbitol	300 mg
Sodium Oxybenzyl Phosphinic Acid	20 mg
Methyl Parahydroxybenzoate	25 mg

Indications:

It can be used for the treatment of pain, pyrexia, inflammation, suppressed immune system, pre & post vaccination stress, transportation stress, post infection stress, liver & kidney intoxication, muscle fatigue, uterine inertia, disturbed digestion and anorexia.

Packing: 250 ml & 500 ml



HEPACARE

Composition:

Each 1000 ml contains:

Silymarin	20000 mg
Sorbitol	20000 mg
Choline Chloride	10000 mg
Arginine	20000 µg
Glutamic Acid	20000 µg
Liquid additives carrier added to	Q.S.

Liquid

Indications:

It is indicated in cases of Liver disorders, Hepatitis, HPS, Antibiotic overdosage, Impaired digestion, Inclusion body hepatitis, Poor FCR and Lower production.

Packing: 500 ml & 1000 ml





A & K

PHARMACEUTICALS

94-A, Punjab Small Industrial Estate,
Sargodha Road, Faisalabad, Pakistan.
Tel: +92-41-8869076, 8586161
Fax: +92-41-8810108

www.aandkpharma.com

ISO 9001 : 2015 CERTIFIED ISO 14001 : 2015 CERTIFIED OHSAS 18001 : 2007 CERTIFIED

