

**A & K Pharmaceuticals** is one of the leading and most inveterate health care company committed to manufacturing and marketing innovative medicines, to prevent and cure diseases and to augment the quality of life.



Poultry Divison



[www.aandkpharma.com](http://www.aandkpharma.com)



**A & K Pharmaceuticals** is one of the leading and most inveterate health care company committed to manufacture innovative poultry and veterinary medicines, to prevent and cure diseases and to augment the quality of life. **A & K Pharmaceuticals** came into being in 2004 as a manufacturing as well as marketing company and extended its pedigree to every suburb of Pakistan.

Pursuant to its corporate philosophy of striving for continuous improvement, betterment & higher standards, **A & K Pharmaceuticals** has established state-of-the-art purpose built manufacturing facility located at Sargodha road in Faisalabad that strictly adhered to the cGMP norms set by WHO and Ministry of Health (MOH) of Pakistan. **A & K Pharmaceuticals** extended their manufacturing operations in its own plant as manufacturers of veterinary injections in 2013 to employ novel technology to produce top quality pharmaceutical products.



## ACEVIT-C

### Composition:

Each 100 gm contains:

Acetylsalicylic Acid.....6.7 gm

Vitamin C (Ascorbic Acid)....20 gm

### Powder

### Indications:

It is indicated in all cases of stress due to transportation, feed changing, heat, sudden changes of conditions at farm, vaccination, debeaking and infectious diseases.

Packing: 100 gm, 500 gm & 1000 gm



## COCCIKILL

### Composition:

Each kg Powder contains:

Diaveridine.....28 gm

Sulphaquinoxaline Na.....105 gm

Vitamin A.....5,000,000 I.U

Vitamin K<sub>3</sub>.....2500 mg

### Powder

### Indications:

It can be used to control and treat the diseases such as cecal and intestinal Coccidiosis due to *E. tenella*, *E. acervulina*, *E. maxima* & *E. necatrix* in Broilers, Layers and Breeders.

Packing: 125 gm & 500 gm



## EXITONE

### Composition:

Each kg Powder contains:

Hexamine.....480 gm

Sodium Acid Phosphate...160 gm

Ascorbic Acid.....30 gm

Trihydroxyethyl Rutin.....3 gm

### Powder

### Indications:

It is indicated for the treatment of Inflammation, Water belly, Nephritis and Edema. It can also be used for detoxification purpose and for the control of Heat stress, Post vaccination stress and other Kidney disorders.

Packing: 100 gm, 500 gm & 1000 gm



## HEXA-VIT

### Composition:

Each 100 gm contains:

Hexamethylenetetramine...9.5 gm

Vitamin B<sub>2</sub> .....1.0 gm

Nicotinamide .....2.5 gm

Calcium Pantothenate.....0.5 gm

### Powder

### Indications:

It can be used in cases of Retarded growth, Lower feed efficiency, Curled-toe paralysis, Loss of appetite, Body weakness, Digestive & Kidney disorders, Diarrhea, Decreased egg production and Hatchability.

Packing: 100 gm, 200 gm, 500 gm & 1 Kg



## AMICIN

### Composition:

Each 100 gm contains:

Neomycin Sulphate .....72 gm

### Powder

### Indications:

It is indicated for the treatment of bacterial Enteritis like Colibacillosis, Salmonellosis causing white diarrhea and Necrotic Enteritis.

Packing: 100 gm, 500 gm, 1 Kg, 2.5 Kg & 5 Kg



## TYDO PLUS

### Composition:

Each 100 gm contains:

Tylosin Tartrate.....14 gm  
Doxycycline HCl.....16 gm  
Colistin Sulphate.....120 MIU

### Powder

### Indications:

It is indicated for the treatment of susceptible infections like CRD, Infectious Sinusitis, Air Sacculitis, Fowl Coryza, Fowl Cholera, Synovitis, Enteritis, Colibacillosis, Colisepticemia, Salmonellosis and to control Secondary bacterial infections.

Packing: 100 gm, 500 gm, 1 Kg, 2.5 Kg & 5 Kg



## TYDOX-30

### Composition:

Each kg Powder contains:


Tylosin Tartrate.....100 gm  
Doxycycline HCl.....200 gm

### Powder

### Indications:

It is indicated for the treatment of susceptible infections like CRD, Infectious Sinusitis, Air Sacculitis, Fowl Coryza, Fowl Cholera, Synovitis, Colibacillosis, Colisepticemia, Salmonellosis and to control Secondary bacterial infections.

Packing: 100 gm, 500 gm & 1000 gm



## XEDO-50

### Composition:

Each gm contains:


Doxycycline Hyclate.....500 mg

### Powder

### Indications:

It is indicated for the treatment of Fowl Coryza, Fowl Cholera, Synovitis, Enteritis, Colibacillosis, Salmonellosis, Staphylococcosis, CRD and associated infections.

Packing: 100 gm, 500 gm, 1 Kg, 2.5 Kg & 5 Kg



## BROTYL

### Composition:

Each 100 gm contains:

Tylosin Tartrate.....10 gm  
Doxycycline HCl.....20 gm  
Colistin Sulphate.....3 gm  
Bromhexine HCl.....10 gm

### Powder

### Indications:

It is indicated for the treatment of Mycoplasmosis, Infectious Sinusitis, Air Sacculitis, Rhinitis, Infectious Coryza, Fowl Cholera, Infectious Synovitis, Colibacillosis, Salmonellosis and to control secondary bacterial infections.

Packing: 100 gm, 500 gm, 1 Kg & 5 Kg



## CNEF

### Composition:

Each Kg contains:

Chlortetracycline HCl .....100 gm  
Neomycin Sulphate .....30 gm  
Furaladone HCl .....75 gm

### Powder

### Indications:

It is highly efficacious against Mycoplasmosis (CRD and CCRD), Coliform Septicemia, Salmonellosis, Necrotic & Ulcerative Enteritis, Fowl Cholera, Synovitis and Secondary bacterial infections.

Packing: 100 gm, 500 gm & 1000 gm





## ERYTYL-F

Composition:

Each Kg contains:

Tylosin Tartrate.....50 gm

Erythromycin Thiocyanate..60 gm

Furaltadone HCl.....140 gm

**Powder**

Indications:

It is indicated for the treatment of CRD, CCRD, Infectious Coryza, Colisepticemia, Bacillary White Diarrhea, Fowl Typhoid, Infectious Synovitis and Secondary bacterial infections.

Packing: 100 gm, 500 gm & 1000 gm



## COL PLUS

Composition:

Each gram contains:

Colistin Sulphate..5,000,000 IU

**Powder**

Indications:

It is indicated for the treatment of bacterial Enteritis like Colibacillosis, Salmonellosis causing white diarrhea, Colisepticemia, Pullorosis, Infectious Coryza and Pseudomonas Infection.

Packing: 100 gm, 500 gm & 1 Kg



## COLAK

Composition:

Each gm contains:

Colistin Sulphate.....4.8 MIU

**Powder**

Indications:

It can be used against Colibacillosis, Salmonellosis causing white diarrhea, Colisepticemia, Colienteritis, Pullorosis, Infectious Coryza, Klebsiellosis and Pseudomonas Infection.

Packing: 100 gm, 200 gm, 500 gm & 1 Kg



## LINCOSOLE

Composition:

Each gm contains:

Lincomycin HCl.....100 mg

Colistin Sulphate.....8,00,000 I.U

**Powder**

Indications:

It is indicated for the treatment of susceptible infections like Necrotic Enteritis, Colibacillosis, Salmonellosis, Colisepticemia, CRD, Air-sacculitis, Infectious Synovitis and Infectious Coryza.

Packing: 100 gm, 500 gm & 1000 gm



## CHLOR-TET

Composition:

Each gm contains:

Chlortetracycline HCl.....200 mg

**Powder**

Indications:

It is effective against Mycoplasmosis (CRD and CCRD), Coliform Septicemia, Omphalitis, Fowl Cholera, Synovitis, Infectious Bronchitis, Secondary bacterial infections and other periods of Stress.

Packing: 100 gm, 500 gm & 1 Kg



## MOXIS

### Composition:

Each 100 gram contains:

Amoxicillin Trihydrate.....10 gm  
Colistin Sulphate.....50,000,000 IU

### Powder

#### Indications:

It is indicated for the treatment of susceptible infections of the Alimentary, Urogenital and Respiratory tracts in Broilers, Layers and Breeders due to its broad spectrum efficacy.

Packing: 100 gm, 500 gm & 1000 gm



## COLMOX

### Composition:

Each 100 gm contains:


Amoxicillin Trihydrate.....15 gm  
Colistin Sulphate.....50 MIU

### Powder

#### Indications:

It has broad spectrum of activity and is indicated for the treatment of susceptible infections of the alimentary, urogenital and respiratory tracts.

Packing: 100 gm, 200 gm, 500 gm & 1 Kg



## AMPRO COC

### Composition:

Each Kg contains:

Amprolium HCl.....200 gm  
Furaltadone HCl.....200 gm

### Powder

#### Indications:

It is indicated for the treatment of cecal and intestinal Coccidiosis as well as bacterial diseases associated with Eimeria infection in Broilers, Layers and Breeders.

Packing: 100 gm, 500 gm & 1000 gm



## AMPROAK

### Composition:

Each 100 gm contains:


Amprolium HCl.....90 gm

### Powder

#### Indications:

It is indicated in caecal and intestinal Coccidiosis caused by *E. tenella*, *E. necatrix*, *E. acervulina* and *E. maxima* in poultry.

Packing: 100 gm, 500 gm, 1 Kg, 2.5 Kg & 5 Kg



## ZANCOL

### Composition:

Each 100 gm contains:

Sulphachlorpyridazine.....30 gm

### Powder

#### Indications:

It can be used against all types of Coccidiosis and bacterial diseases like Pullorum, Fowl Typhoid, Fowl Cholera, Infectious Coryza and Early chick mortality.

Packing: 100 gm, 200 gm, 500 gm & 1 Kg





## O-NEFUR

### Composition:

#### Each Kg contains:

Oxytetracycline HCl .....50 gm  
Neomycin Sulphate .....14 gm  
Furaltadone HCl .....30 gm

### Powder

### Indications:

It is indicated for CRD, CCRD, Coliform Septicemia, Salmonellosis, Necrotic & Ulcerative Enteritis, Fowl Cholera, Synovitis, Infectious Bronchitis and Secondary bacterial infections.

Packing: 100 gm, 500 gm & 1000 gm



## ERYFUR

### Composition:

#### Each 100 gm contains:

Erythromycin Thiocyanate..13 gm  
Furaltadone HCl .....20 gm

### Powder

### Indications:

It is indicated for the treatment of CRD, CCRD, Infectious Coryza, Mycoplasmosis, Colisepticemia, Bacillary White Diarrhea, Fowl Typhoid and Secondary bacterial infections.

Packing: 100 gm, 500 gm & 1 Kg



## SARAK-10

### Composition:

#### Each 100 gm contains:

Sarafloxacin HCl .....10.0 gm

### Powder

### Indications:

It can be used for the control of bacterial infections like Enteritis, Colibacillosis, Colisepticemia, Salmonellosis, Staphylococcal and Streptococcal infections.

Packing: 100 gm, 200 gm, 500 gm & 1 Kg



## XYLOSTIN

### Composition:

#### Each Kg contains:

Tylosin Tartrate.....100 gm  
Colistin Sulphate .....240 MIU

### Powder

### Indications:

It can be used against CRD, CCRD, Infectious Coryza, Mycoplasmosis, Air Sacculitis, Salmonellosis, Pullorum Disease, Fowl Typhoid and Secondary bacterial infections.

Packing: 100 gm, 500 gm, 1 Kg & 2.5 Kg



## VITAL-P

### Composition:

#### Each 100 gm contains:

Vitamin A.....20,00,000 I.U  
Vitamin D.....4,00,000 I.U  
Vitamin E.....160 I.U  
Vitamin K.....900 mg  
Vitamin B<sub>1</sub>.....125 mg  
Vitamin B<sub>2</sub>.....2,000 mg  
Vitamin B<sub>6</sub>.....600 mg  
Vitamin B<sub>12</sub>.....3000 mcg  
Vitamin C.....1000 mg  
Folic Acid.....200 mg  
Nicotinic Acid.....10,000 mg  
Calcium Pantothenate.....3,000 mg

### Powder

### Indications:

It is indicated as supportive therapy in Bacterial, Viral & Parasitic infections, Impaired digestion, Anemia, Stress of transportation & vaccination, Brooding stress, Lower egg production, Weaker immunity, Sudden change in diet & weather and Poor FCR.

Packing: 100 gm, 300 gm & 1000 gm





## DIALPHA

### Composition:

Each 100 gm contains:

Sulphadimerazine.....86.0 gm

Diaveridine HCl.....10.5 gm

### Powder

### Indications:

It is indicated for the prevention and treatment of cecal and intestinal Coccidiosis caused by Eimeria spp. in Broilers, Layers and Breeders.

Packing: 100 gm, 200 gm, 500 gm & 1 Kg



## HELMIN-NO

### Composition:

Each 100 gm contains:

Piperazine adipate.....100 gm

### Powder

### Indications:

It is indicated against species of Ascaridia, Nematodirus, Ostertagia, Cooperia, Strongylus, Oxyuris, Trichonema, Capillaria, Thread worms and Hook worms.

Packing: 100 gm, 500 gm & 1 Kg



## LEVOSIN

### Composition:

Each 100 gm contains:

Levamisole HCl .....50.0 gm

### Powder

### Indications:

It can be used in Poultry in cases of Hair worms, Gizzard worms, Cecal worms and Respiratory worms.

Packing: 100 gm, 500 gm, 1 Kg, 2.5 Kg & 5 Kg



## GUMBOFEN

### Composition:

Each 100 gm contains:

Ammonium Chloride.....70 gm

Methionine.....10 gm

Sorbitol.....5 gm

Vitamin A.....1,50,000 IU

Vitamin C.....10.0 gm

### Powder

### Indications:

It is indicated for prevention and control of gout, urolithiosis, nephritis, hepatic & renal intoxication and as an adjuvant support to combat IBD (Gumboro).

Packing: 100 gm, 500 gm, 1 Kg & 5 Kg







## DANOMED

### Composition:

Each gm contains:

Danofloxacin as mesylate...100mg

### Powder

#### Indications:

Danomed Powder is used for the treatment of respiratory and enteric infections including CRD, CCRD, Infectious Synovitis, Air-sacculitis, Fowl Cholera, Colibacillosis, Colisepticemia and Salmonellosis.

Packing: 100 gm, 500 gm & 1 Kg



## BIOAID SUPER

### Composition:

Each Kg contains:

Colistin Sulphate .....50 MIU  
Oxytetracycline .....40 gm  
Vitamin A .....1050000 IU  
Vitamin D<sub>3</sub> .....210000 IU  
Vitamin E .....3250 mg  
Vitamin K<sub>3</sub> .....375 mg  
Vitamin B<sub>2</sub> .....1500 mg  
Vitamin B<sub>12</sub> .....4150 mcg  
Nicotinic Acid .....7500 mg  
Calcium Pantothenate...3000 mg

### Powder

#### Indications:

It can be used for the valuable treatment of acute and chronic bacterial infections like Fowl cholera, Fowl typhoid, CRD, Mycoplasmosis, Salmonellosis, Early chick mortality and Secondary bacterial infections.

Packing: 100 gm, 500 gm, 1 Kg & 5 Kg



## ULTRA NEPHRON PLUS

### Composition:

Each Kg contains:

Ammonium Chloride.....650 gm  
Methionine.....100 gm  
Sorbitol .....50 gm  
Vitamin A.....25000 IU  
Vitamin C .....100 gm

### Powder

#### Indications:

It can be used in IBD, Nephritis, Impaired liver function, Avian urolithiasis, Decreased growth rate, Poor feathering, Decreased egg production, Poor quality eggs, Decreased feed efficiency, Metabolic disorders, Weak immune system and Oxidative stress.

Packing: 100 gm, 500 gm & 1 Kg



# LINCOS-P Powder

Feed Premix

## Composition:

Each 100 gm contains:

Lincomycin HCl.....4.4 gm

## Indications:

It can be used for the control of Necrotic Enteritis in Poultry. It is indicated for increase in egg and meat production. It can be used to efficiently improve the Feed Conversion Ratio (FCR).

Packing: 1 Kg, 2.5 Kg, 5 Kg, 10 Kg & 25 Kg



# LINCOS-P Granule

Feed Premix

## Composition:

Each 100 gm contains:

Lincomycin HCl.....4.4 gm

## Indications:

It can be used for the control of Necrotic Enteritis in Poultry. It is indicated for increase in egg and meat production. It can be used to efficiently improve the Feed Conversion Ratio (FCR).

Packing: 1 Kg, 2.5 Kg, 5 Kg, 10 Kg & 25 Kg





## EN-COL

### Composition:

Each 100 ml contains:

Enrofloxacin HCl.....10 gm  
Colistin Sulphate..50,000,000 I.U.

### Liquid

### Indications:

It is indicated for the treatment of Colibacillosis, Early Chick Mortality, Salmonellosis, Mycoplasmosis, Colisepticemia, Infectious Coryza, Staphylococcal & Streptococcal infections and Secondary bacterial infections.

Packing: 100 ml, 200 ml, 500 ml & 1 liter



## FLOTEN

### Composition:

Each ml contains:

Enrofloxacin.....100 mg

### Liquid

### Indications:

It can be used against CRD, Mycoplasmosis, Fowl Cholera, Fowl Typhoid, Colibacillosis, Early Chick Mortality, Pullorosis, Colisepticemia, Infectious Coryza, Staphylococcal & Streptococcal infections and Secondary bacterial infections.

Packing: 100 ml, 200 ml, 500 ml & 1 liter



## ENROAK 20%

### Composition:

Each 100 ml contains:

Enrofloxacin HCl.....20.0 gm

### Liquid

### Indications:

It is indicated for CRD, Mycoplasmosis, Fowl Cholera, Fowl Typhoid, Colibacillosis, Colienteritis, Early Chick Mortality, Salmonellosis, Infectious Coryza, Staphylococcal & Streptococcal infection and Secondary bacterial infections.

Packing: 100 ml, 500 ml & 1 liter



## AMENCO

### Composition:

Each 100 ml contains:

Enrofloxacin.....10.0 gm  
Colistin Sulphate.....3.5 gm  
Amantadine.....4.0 gm

### Liquid

### Indications:

It is indicated in cases of IB, ND, Influenza, CRD, Mycoplasmosis, Fowl Cholera, Fowl Typhoid, Colibacillosis, Early Chick Mortality, Salmonellosis, Colisepticemia, Infectious Coryza and Secondary bacterial infections.

Packing: 100 ml, 200 ml, 500 ml & 1 liter



## T-SUL PLUS

### Composition:

Each 100 ml contains:

Trimethoprim.....8.0 gm  
Sulphadiazine.....40 gm

### Liquid

### Indications:

It can be used against GI, Respiratory & Urogenital tract infections like Colisepticemia, Fowl Typhoid, Infectious Coryza, Fowl Cholera, Pullorum & Secondary bacterial infections.

Packing: 60 ml, 200 ml, 500 ml & 1 liter



## FENIL

### Composition:

Each 100 ml contains:

Florfenicol .....10.0 gm

### Liquid

### Indications:

It is indicated for the treatment of Fowl Typhoid, Pullorum, Salmonellosis, Colibacillosis, Staphylococosis, Colisepticemia, Chronic Respiratory Disease and Infective Rhinitis.

Packing: 100 ml, 500 ml, 1 liter & 2.5 liter



## FENIL 25

### Composition:

Each 100 ml contains:

Florfenicol.....25 gm

### Liquid

### Indications:

It is indicated for the treatment of Fowl Typhoid, Salmonellosis, Pullorosis, Colibacillosis, Staphylococosis, Air Sacculitis, Infectious Coryza, Fowl Cholera and Mycoplasmosis.

Packing: 100 ml, 500 ml & 1 liter



## MARISIL

### Composition:

Each 100 ml contains:

Florfenicol.....23 gm

### Liquid

### Indications:

It is indicated for the treatment of Fowl Typhoid, Salmonellosis, Pullorosis, Colibacillosis, Staphylococosis, Air Sacculitis, Colisepticemia and Chronic Respiratory Disease.

Packing: 100 ml, 200 ml, 500 ml & 1 liter



## FENBECT-25

### Composition:

Each 100 ml contains:

Florfenicol.....25 gm

Colistin Sulphate.....50 MIU

### Liquid

### Indications:

It is indicated for the treatment of Fowl Typhoid, Salmonellosis, Pullorosis, Colisepticemia, Colienteritis, Staphylococosis, Air Sacculitis, Coryza, Cholera and Mycoplasmosis.

Packing: 100 ml, 500 ml & 1 liter



## MYCOTIL

### Composition:

Each 100 ml contains:

Tilmicosin Phosphate.....25 gm

### Liquid

### Indications:

It is indicated for the treatment of bacterial respiratory diseases like CRD, Infectious Sinusitis, Air Sacculitis, Fowl Coryza, Fowl Cholera, Synovitis and to control Secondary bacterial infections.

Packing: 100 ml, 200 ml, 500 ml & 1 liter





## TYDOX

Liquid

Composition:

Each 100 ml contains:

Tylosin Tartrate.....10 gm  
Doxycycline HCl.....20 gm  
Phenylbutazone.....2.4 gm  
Bromhexine.....1.0 gm

### Liquid

Indications:

It is indicated in cases of CRD, CCRD, Infectious Sinusitis, Air Sacculitis, Fowl Coryza, Fowl Cholera, Synovitis, Colibacillosis, Colisepticemia, Salmonellosis and inflammatory conditions associated with the musculoskeletal system.

Packing: 100 ml, 200 ml, 500 ml & 1 liter



## SINOXY

Composition:

Each 100 ml contains:

Tylosin Tartrate .....10.0 gm  
Doxycycline HCl .....20.0 gm

### Liquid

Indications:

It is indicated for CRD, Infectious Sinusitis, Air Sacculitis, Fowl Coryza, Fowl Cholera, Synovitis, Colisepticemia, Colienteritis, Salmonellosis and Secondary bacterial infections.

Packing: 100 ml, 200 ml, 500 ml & 1 liter



## NORAK-20

Composition:

Each 100 ml contains:

Norfloxacin HCl.....20.0 gm

### Liquid

Indications:

It is indicated for Pasteurellosis, CRD, Fowl cholera, Colibacillosis, Colisepticemia, Salmonellosis, Staphylococcal and Streptococcal infections.

Packing: 100 ml, 200 ml, 500 ml & 1 liter



## NORMAK

Composition:

Each 100 ml contains:

Norfloxacin HCl.....25.0 gm

### Liquid

Indications:

It is indicated for Pasteurellosis, CRD, Fowl cholera, Colibacillosis, Colisepticemia, Salmonellosis, Staphylococcal and Streptococcal infections.

Packing: 100 ml, 500 ml, 1 liter, 2.5 liter & 5 liter



## SARACIN

Composition:

Each 100 ml contains:

Sarafloxacin HCl .....10.0 gm

### Liquid

Indications:

It can be used for the control of bacterial infections like Enteritis, Colibacillosis, Colisepticemia, Salmonellosis, Staphylococcal and Streptococcal infections.

Packing: 100 ml, 200 ml, 500 ml & 1 liter



## ULTRAZURIL

Composition:

Each 100 ml contains:

Toltrazuril.....2.5 gm

### Liquid

Indications:

It can be used against Coccidiosis caused by *E. acervulina*, *E. tenella*, *E. maxima*, *E. mitis*, *E. necatrix* and *E. brunette* in Broilers, Layers, Breeders, Turkeys, Pigeons and Lambs.

Packing: 100 ml, 500 ml & 1 liter



## TOLTRACOX

Composition:

Each 100 ml contains:

Toltrazuril.....3.0 gm

### Liquid

Indications:

It can be used against Coccidiosis in Broilers, Layers, Breeders, Turkeys, Pigeons and Lambs.

Packing: 100 ml, 200 ml, 500 ml & 1 liter



## PENTAZURIL

Composition:

Each 100 ml contains:

Toltrazuril.....5.0 gm

### Liquid

Indications:

It can be used against Coccidiosis caused by *E. acervulina*, *E. tenella*, *E. maxima*, *E. mitis*, *E. necatrix* and *E. brunette* in Broilers, Layers, Breeders, Turkeys, Pigeons and Lambs.

Packing: 100 ml, 500 ml, 1 liter & 2.5 liter



## COLSUL

Composition:

Each ml contains:

Colistin Sulphate .....2.0 MIU

### Liquid

Indications:

It is indicated for the treatment of bacterial Enteritis like Colibacillosis, Salmonellosis causing white diarrhea, Colisepticemia, Pullorosis, Infectious Coryza and Pseudomonas Infection.

Packing: 100 ml, 200 ml, 500 ml & 1 liter





## MEGAMUNE

### Composition:

#### Each liter contains:

Vitamin E .....	150000 mg
Selenium (as Sodium Selenite).....	2200 mg
Vitamin A .....	10000000 IU
Vitamin B <sub>3</sub> .....	16000 mg
Sorbitol .....	100000 mg

### Liquid

### Indications:

It can be used in case of Low feed efficiency, Impaired digestion, Pre & post vaccination stress, Anemia, Muscular dystrophy, Impaired liver function, Arthritis, Immunosuppression, Early weaning, Retained placenta and Mastitis.

Packing: 500 ml & 1 liter



## MICRO-KILL

### Composition:

#### Each 100 ml contains:

Didecyl Dimethyl Ammonium Bromide.....	10 gm
--	-------

### Liquid

### Indications:

It can be used as a disinfectant & sanitation agent and is extremely effective against bacteria, virus, algae, slime and molds.

Packing: 500 ml, 1 liter, 5 liter & 25 liter



## COCCI-RED

### Composition:

#### Each 100 ml contains:

Sulphadimethoxine .....	5000 mg
Diaveridine .....	5000 mg
Vitamin K <sub>3</sub> .....	2000 mg

### Liquid

### Indications:

It is indicated for the treatment of Coccidiosis (caused by Eimeria spp.) and associated bacterial Enteritis (caused by Streptococci, Klebsiella, Proteus, Shigella, Staphylococci, E. coli and Salmonella).

Packing: 100 ml, 200 ml, 500 ml & 1 liter



## B-CID

### Composition:

#### Each 100 ml contains:

Lincomycin HCl .....	3.33 gm
Spectinomycin HCl .....	6.67 gm

### Liquid

### Indications:

It is indicated for the treatment of Mycoplasmosis, Pasteurellosis, Fowl Cholera, Colibacillosis, Colisepticemia, Salmonellosis, Enteritis and Secondary bacterial infections.

Packing: 100 ml, 200 ml, 500 ml & 1 liter



## MENTOLEX

Composition:

Each 1000 ml contains:

Thymol.....	200 gm
Menthol.....	200 gm
Bromhexine.....	100 gm
Glycyrrhiza Glabra Extract.....	120 gm
Eucalyptus Oil.....	100 gm
Biotin.....	100 gm
Vitamin B <sub>12</sub> .....	30 gm
Sorbitol.....	100 gm

Liquid

Indications:

It can be used in respiratory tract diseases and bronchial infections like CRD, CCRD, Infectious Bronchitis, Infectious Coryza, Avian Influenza, Infectious Laryngotracheitis, Newcastle disease, Salmonellosis, Infectious Sinusitis, Bronchopneumonia and Infective Rhinitis.

Packing: 500 ml & 1000 ml



## BROMODIL-X

Composition:

Each ml contains:

Bromhexine Hydrochloride.....	20 %
-------------------------------	------

Liquid

Indications:

It is indicated as secretolytic therapy in Respiratory diseases like CRD & CCRD, IB, ILT, Avian Influenza, Infectious Coryza, Bronchopneumonia, Air Sacculitis and Infective Rhinitis.

Packing: 500 ml & 1000 ml



## BROMODIL 5

Composition:

Each 1000 ml contains:

Thymol.....	150 gm
Menthol.....	150 gm
Bromhexine.....	50 gm
Glycyrrhiza Glabra Extract.....	120 gm
Eucalyptus Oil.....	100 gm
Biotin.....	100 gm
Vitamin B <sub>12</sub> .....	30 gm
Sorbitol.....	100 gm

Liquid

Indications:

It can be used in cases of CRD, CCRD, IB, Coryza, Influenza, ILT, Newcastle disease, Infectious Sinusitis, Bronchopneumonia and Infective Rhinitis.

Packing: 1 liter



## VITAL-E 20%

Composition:

Each 1000 ml contains:

Vitamin E.....	200 gm
Zinc Sulphate.....	20000 mg
Sodium Selenite.....	2200 mg

Liquid

Indications:

It can be used as supportive therapy in cases of Weak immunity, Decreased growth & egg production, Low titers against diseases, Post vaccination stress, White muscle disease, Hepatitis, Arthritis, IBD, IBH and ND.

Packing: 500 ml & 1000 ml



## GUMBOZOL

Composition:

Each 1000 ml contains:

Sisymbrium extract.....	100 gm
Allium sativum extract.....	50 gm
Datura extract.....	35.7 gm
Ptychotis ajowan.....	120 gm
Glacial Acetic Acid.....	150 ml
Excipient Q.S.....	1000 ml

Liquid

Indications:

It can be used in cases of IBD, Bronchitis, Indigestion, Liver disorders, Fever, Pre & post vaccination stress, Bacterial, Viral & Parasitic diseases, Weaker immunity, Poor FCR and Oxidative stress.

Packing: 500 ml & 1000 ml





## NOVA AK

### Composition:

#### Each ml contains:

Caffeine.....	20 mg
Sodium Salicylate.....	14 mg
Nicotinamide.....	10 mg
Calcium Gluconate.....	200 mg
Magnesium Gluconate.....	10 mg
Boric Acid.....	20 mg
Sorbitol.....	200 mg
Sodium Oxybenzyl Phosphinic Acid.....	15 mg
Methyl Parahydroxybenzoate.....	20 mg

### Liquid

#### Indications:

It can be used in cases of Hypocalcemia, Colic, Heat Stroke, Disturbances of circulation, Muscle Fatigue, Uterine inertia, Grass tetany, Pyrexia, Inflammation & Pain, Liver & Kidney intoxication, Disturbed digestion, Heat stress, Ascites, Locomotor disorders, Egg shell weakness, Vaccination and Post infection stress.

Packing: 250 ml & 500 ml



## ADEK FORTE

### Composition:

#### Each 1000 ml contains:

Vitamin A.....	4000000 I.U
Vitamin D <sub>3</sub> .....	4000000 I.U
Vitamin E.....	6000 I.U
Vitamin K <sub>3</sub> .....	10000 I.U

### Liquid

#### Indications:

It can be used as supportive therapy in Bacterial, Viral & Parasitic infections, Impaired digestion, Pre & post vaccination stress, Anemia, Poor FCR, Reduced growth, Oxidative stress, Lower disease resistance & Performance of birds.

Packing: 500 ml & 1000 ml



## EXI-TOX

### Composition:

#### Each liter contains:

Propionic acid .....	200,000 mg
Vitamin E .....	20,000 mg
Propylene Glycol .....	130,000 mg
Ammonium Propionate ....	15,000 mg
Potassium.....	10,000 mg
Sorbitol.....	20,000 mg
Solvents ad.....	1000 ml

### Liquid

#### Indications:

It is indicated in cases of mold infections, bacterial infections, fat palmipeds, heat stress, muscular dystrophy and exudative diathesis.

Packing: 500 ml & 1000 ml



## TOCOZYME

### Composition:

#### Each gram contains:

Lysozyme .....	22 %
Vitamin E 50 SD .....	0.5 %

### Powder

#### Indications:

It can be used in all cases of stress, bacterial infections, viral infections, vertically transmitted diseases in breeders, coccidiosis and omphalitis etc.

Packing: 100 gm, 500 gm & 1 Kg



## INNOVATIVE-C

### Composition:

#### Each 1 Kg contains:

Vitamin C .....	850000 mg
Sodium Citrate .....	5000 mg
Sodium Chloride .....	30000 mg
Magnesium Sulphate .....	30000 mg
Calcium Carbonate .....	60000 mg
Manganese Sulphate .....	1000 mg
Potassium Chloride .....	500 mg

### Powder

#### Indications:

It is indicated in all cases of stress due to transportation, feed changing, heat, sudden changes of conditions at farm, vaccination, debeaking and infectious diseases.

Packing: 1 Kg



## VITAMIN-C

### Composition:

#### Each liter contains:

Vitamin C (Ascorbic acid).....	200 gm
Glucose .....	250 gm
Sorbitol .....	100 gm
Silymarin.....	20 gm
Biotin.....	20 gm
Choline Chloride.....	20 gm
KCl.....	200 gm
CaCl.....	80 gm
Plus flavor.....	10 gm
Salicylic acid.....	5 gm
Excipients .....	Q.S.

### Liquid

#### Indications:

It can be used in cases of growth depression, delayed wound healing, chronic liver diseases, heat stress, diarrhea, bone & shell deformities, vaccination stress and infectious diseases.

Packing: 500 ml & 1000 ml



## VITAMIN-C

### Composition:

#### Each liter contains:

Vitamin C (Ascorbic acid).....	100 gm
Glucose .....	200 gm
Sorbitol .....	50 gm
Silymarin.....	5 gm
Biotin.....	10 gm
Choline Chloride.....	10 gm
KCl.....	130 gm
CaCl.....	70 gm
Plus flavor.....	10 gm
Salicylic acid.....	3 gm
Excipients .....	Q.S.

### Liquid

#### Indications:

It can be used in cases of growth depression, delayed wound healing, chronic liver diseases, heat stress, diarrhea, bone & shell deformities, vaccination stress and infectious diseases.

Packing: 500 ml & 1000 ml



## SUPER ELECTROLYTES

### Composition:

#### Each 1 Kg contains:

Sodium Lactate .....	38 gm
Calcium Chloride .....	3.5 gm
Potassium Chloride .....	7.5 gm
Sodium Chloride .....	90 gm
Calcium Lactate.....	20 gm
Niacinamide .....	33 gm
Pantothenic Acid .....	38 gm
Biotin .....	3.5 gm
Menadione Sodium .....	7.5 gm
Folic Acid .....	90 gm
Bisulfite Complex .....	200 gm
Vitamin C .....	50 gm
Glucose .....	upto 1000 gm

### Powder

#### Indications:

It can be used for the treatment of dehydration, diarrhea, fever and stress due to changing weather, transportation and heat.

Packing: 1 Kg





## AMBROSIN-G115

### Composition:

Each 1000 ml contains:

Aminophylline.....	10 gm
Ambroxol.....	30 gm
Guaiphenesin.....	35 gm
Menthol.....	40 gm

### Liquid

### Indications:

It is indicated for the treatment of Mycoplasmosis, Infectious Sinusitis, Air Sacculitis, Rhinitis, Infectious Coryza and Fowl Cholera,

Packing: 1 liter



## JETESOLE

### Composition:

Each 1000 ml contains:

Silymarin.....	20000 mg
Sorbitol.....	20000 mg
Choline Chloride .....	10000 mg
Arginine.....	20000 µg
Glutamic Acid.....	20000 µg
Liquid additives carrier added to..	Q.S.

### Liquid

### Indications:

It is indicated in cases of Liver disorders, Hepatitis, HPS, Antibiotic overdosage, Impaired digestion, Inclusion body hepatitis, Poor FCR and Lower production.

Packing: 500 ml & 1000 ml



## JETESOLE PLUS

### Composition:

Each liter contains:

Silymarin.....	22,000 mg
L-Carnitine.....	1,000 mg
Lysine.....	10,000 mg
DL-Methionine.....	10,000 mg
Choline Chloride.....	10,000 mg
Arginine.....	10,000 mg
P.G.....	50 ml
Oxyethyl Benzene.....	5000 mg
Sorbitol.....	2,000 mg
Excipients plus flavour.....	Q.S.

### Liquid

### Indications:

It can be used in cases of Liver disorders, Hepatitis, HPS, Antibiotic overdosage, Impaired digestion, Inclusion body hepatitis, Poor FCR and Lower production.

Packing: 500 ml & 1000 ml



## TARGET

### Composition:

Iodine, Potassium iodide, Phosphoric acid, Sulphuric acid & Excipients as.....3.6%

### Liquid

### Indications:

It can be used in cases of contaminated Drinkers, Feed pans & Egg trays with droppings and exudate, Wet litter material, Presence of dust and insects, Water tank contamination, Rodents contamination, Bacterial & Viral contamination in sheds.

Packing: 500 ml & 1000 ml



## MICRONILL-AK

### Composition:

Each liter contains:

Propionic acid.....	200,000 mg
Vitamin E.....	20,000 mg
Propylene Glycol.....	120,000 mg
Ammonium Propionate.....	10,000 mg
Potassium.....	10,000 mg
Sorbitol.....	10,000 mg
Solvents ad.....	1000 ml

### Liquid

### Indications:

It can be used in cases of Mold infections, Omphalitis, Enterocolitis, Bursitis, Colisepticemia, Pullorum disease, Fowl typhoid, Necrotic enteritis, Fat palmipeds, Heat stress, Hypokalemia, Muscular dystrophy and Exudative diathesis.

Packing: 500 ml & 1000 ml





# A & K

## PHARMACEUTICALS

94-A, Punjab Small Industrial Estate,  
Sargodha Road, Faisalabad, Pakistan.

Tel: +92-41-8869076, 8586161

Fax: +92-41-8810108

[www.aandkpharma.com](http://www.aandkpharma.com)

ISO 9001 : 2015 CERTIFIED ISO 14001 : 2015 CERTIFIED OHSAS 18001 : 2007 CERTIFIED

